

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	((("3662602") or ("4684125")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:34
S2	39	("0518967"   "0911925"   "0929281"   "2356260"   "3400793"   "3467376"   "3563542").PN. OR ("3662602").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:35
S3	25	("0496094"   "0929281"   "0948140"   "3400793"   "3559487"   "3662602"   "3938389"   "4129297"   "4209167"   "4406454"   "4482149"   "4509747"   "4542897"   "4771344"   "4805900"   "4811944"   "5431616"   "5466200"   "5591104").PN. OR ("5842958"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:36
S4	19	("3638941"   "3861677"   "3948513"   "4129297"   "4231568"   "4254950"   "4257593"   "4397462"   "4426077"   "4477071"   "D230613").PN. OR ("4684125").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:41
S6	18	("3713653" "4249727" "5013034" "5069448" "5 244444" "5372564" "5681246" "5759139" "582 0520").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 08:44
S7	32	("1969165"   "2643123"   "2832595"   "2906532"   "2921791"   "3068003"   "3228683"   "3428311"   "3587319"   "3724450"   "3957266"   "4036490"   "4243219"   "4313603"   "4517966"   "4834364"   "4925185"   "D182660"   "D209759"   "D292427").PN. OR ("5820520").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:45
S8	35	("3587319").URPN.	USPAT	AND	ON	2005/09/29 08:48
S9	28	("2324970"   "3587319"   "4225131"   "4730826"   "4743015"   "4749189"   "4818667"   "4824100"   "4836530"   "4880226"   "4953858").PN. OR ("5074550").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:49
S10	33	("2921791").URPN.	USPAT	AND	ON	2005/09/29 08:52
S11	25	("3139282"   "3587319"   "3634895"   "4227689"   "4257593"   "4478411"   "4720099"   "4813667"   "4830371"   "4903966"   "5013034"   "5108093"   "5176601"   "5205802").PN. OR ("5372564").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 08:54
S12	928	(482/72,112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 08:57
S5	2054	(482/51,72,112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:03

S13	290	S5 and (hydraulic or pneumatic) adj (cylinder or damper or dashpot or resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 09:04
S15	64	(482/905).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:35
S14	96	(482/135).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:35
S16	20	("3467376").URPN.	USPAT	AND	ON	2005/09/29 09:38
S17	13	("0681664"   "3301555"   "4463949").PN. OR ("4846468").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 09:48
S18	17	("2782033"   "3013799"   "3089700"   "3467376").PN. OR ("3743284").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 09:50
S19	20	("3467376").URPN.	USPAT	AND	ON	2005/09/29 09:54
S20	633	(482/62,63).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 10:08
S21	131	(482/73).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 10:09
S22	291	"482".clas. handle crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 11:21
S24	501	482/126.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 11:22
S23	0	482/126.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/29 11:22
S26	2	("5244444").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 12:27

S25	49	("3132861"   "4211404"   "4351527"   "4517966"   "4580778"   "4603858"   "4606541"   "4736946"   "4743011"   "4824105"   "4863162"   "4865317"   "4903963"   "4951941"   "5005832"   "5033742"   "5046726"   "5069448"   "5071119").PN. OR ("5232425").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 12:27
S27	19	("0605747"   "1366200"   "2356260"   "2921791"   "3428311"   "4103887"   "4249727"   "4603856"   "4634121").PN. OR ("5244444").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/29 16:27
S28	4	((("2564735") or ("8408466"))).PN.	EPO; DERWENT	OR	OFF	2005/09/29 16:45
S33	0	("405115580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:48
S32	1	("5115580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:48
S31	0	JP405115580A.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/10/28 10:48
S30	9	((("3989241") or ("0494662") or ("5522783") or ("3428312") or ("JP405115580A"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:48
S35	0	("JP5115580A").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:49
S34	0	("JP405115580A").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/28 10:49
S36	19	("3638941"   "3861677"   "3948513"   "4129297"   "4231568"   "4254950"   "4257593"   "4397462"   "4426077"   "4477071"   "D230613").PN. OR ("4684125").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/31 14:02
S37	19	("0929281"   "2252868"   "2530921"   "3345067"   "3430955"   "3495824"   "3662602").PN. OR ("3989241").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/12 14:42
S38	18	("3246893"   "3834695"   "3942790"   "4326692"   "4482193"   "4620704").PN. OR ("5522783").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/12 14:43
S40	0	("2005/0037903").URPN.	USPAT	AND	ON	2005/12/12 14:51

S39	159	"482".clas. (hydraulic or pneumatic) near cylinder pivot (stick or handle or column or rod or lever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/12 14:59
S41	102	"482".clas. (hydraulic or pneumatic) near cylinder pivot (stick or handle or column or rod or lever) (guide or (guide body) or carrier or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/12/12 15:01
S42	16	("5013031"   "5039088"   "5279529"   "5290211"   "5336141"   "5499956"   "5577985"   "5707320"   "5792026"   "5795268").PN. OR ("6004244").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/12/12 15:02
S45	15	("0092793"   "0163801"   "3359802"   "3587319").PN. OR ("3784195").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 10:59
S44	2	("3784195").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/05 10:59
S43	20	("3467376").URPN.	USPAT	AND	ON	2006/01/05 10:59
S46	37	("0399942"   "0839803"   "2233764"   "2728188"   "2782033"   "3467376"   "3563542"   "3747925"   "3802701"   "3822061").PN. OR ("3982757").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:10
S47	42	("0684688"   "1480499"   "2198947"   "2650585"   "2903263"   "3207147"   "3277879"   "3467376").PN. OR ("3563542").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:12
S48	9	("1532865"   "3563542"   "3616557").PN. OR ("3747925").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:19
S49	22	("1232000"   "2223309"   "3180666"   "3451675"   "3563542").PN. OR ("3947025").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:23
S50	24	("2223309").URPN.	USPAT	AND	ON	2006/01/05 11:24
S51	25	("3019019"   "3467376"   "3475024"   "3536326"   "3559487"   "3662602"   "3743284"   "3815904"   "3947025"   "3982757"   "4063727"   "4157179"   "4184675"   "D256822").PN. OR ("4509747").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:26
S52	27	("0827260"   "1556579"   "1631355"   "2227365"   "2782033").PN. OR ("4157179").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/05 11:27
S54	57579	pivot same (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:33
S55	28256	pivot same (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:35

S58	17905	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:36
S57	17905	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:36
S56	20902	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:36
S61	1062	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder base with guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:37
S60	2396	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder base same guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:37
S59	4343	pivot with (stick or handle or lever or arm) same (hydraulic or pneumatic or piston) adj cylinder base guide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/05 11:37
L1	13	("0681664"   "3301555"   "4463949").PN. OR ("4846468").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/06 15:35
L2	573	pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) "482".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/06 15:37
L3	13	("1626091"   "4429871"   "4556216"   "4711447"   "5360383"   "5454773").PN. OR ("5795271").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/01/06 16:27
S53	71387	pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2006/01/06 17:12
L8	636	(482/121).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 17:55
L9	250	(482/114,115).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 18:34

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	438	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders)).clm.	US-PGPUB	AND	ON	2006/01/06 17:12
L6	6	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) base user).clm.	US-PGPUB	AND	ON	2006/01/06 17:15
L7	22	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) base guide).clm.	US-PGPUB	AND	ON	2006/01/06 17:55
L5	2	(pivot (stick or handle or lever or arm) (hydraulic or pneumatic or piston) near (cylinder or cylinders) base guide user).clm.	US-PGPUB	AND	ON	2006/01/06 18:24